

TAKE-OFF SHEET

PANELS

Slatestone Panel dimensions are 8 1/4" x 43" x 1 1/2". Each Panel covers 2.14/sq. ft.

Configure Square Footage of area to be covered.

Total Square Feet _____ / 2.14sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of eight (8) panels per box.

Random Rock Panel dimensions are 15 1/2" x 48" x 1 1/2". Each Panel covers 4.75/sq. ft.

Configure Square Footage of area to be covered.

Total Square Feet _____ / 4.75sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of four (4) panels per box.

Ledgestone Panel dimensions are 6 5/8" x 47 3/4" x 1 1/2". Each Panel covers 1.79/sq. ft.

Configure Square Footage of area to be covered.

Total Square Feet _____ / 1.79sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of twelve (12) panels per box.

Drystack Panel dimensions are 5" x 47 3/4" x 1 1/2". Each Panel covers 1.33/sq.ft.

Configure Square Footage of area to be covered.

Total Square Feet _____ / 1.33sq.ft. = _____ number of Panels necessary.

- Round total to nearest box quantities of sixteen (16) panels per box.

CORNERS

Ledgestone Flush Outside Corner dimensions are 13 3/4" x 4 1/4" x 6 5/8"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 6 5/8" = _____ number of pieces of corners.

- Ledgestone Flush Outside Corners sit flush with the Ledgestone Panel. Four (4) corners per box, 2 Left / 2 Right.

Drystack Flush Outside Corner dimensions are 13 3/4" x 4 1/4" x 5"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 5" = _____ number of pieces of corners.

- Drystack Flush Outside Corners sit flush with the Ledgestone Panel. Four (4) corners per box, 2 Left / 2 Right.

Sandstone Flush Outside Corner dimensions are 3" x 3" x 48"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 48" = _____ number of pieces of corners.

- Sandstone Flush Outside Corners can be used with any rock profile, except Slatestone, and sit flush to panel ends. Outdoor applications may need caulk or weather seal. Two (2) corners per box.

TAKE-OFF SHEET

CORNERS cont.

Slatestone Outside Corner dimensions are 12 3/4" x 4 1/2" x 8 1/4"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 8 1/4" = _____ number of pieces of corners.

- Slatestone Outside Corners sit flush with each panel. Four (4) corners per box, 2 Left/2Right.

Random Rock Outside Corner dimensions are 7" x 11" x 15 1/2"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 15 1/2" = _____ number of pieces of corners.

- Random Rock Outside Corners sit flush with each panel. Four (4) corners per box, 2 Left/2Right.

Ledgestone Outside Corner dimensions are 4 1/2" x 4 1/2" x 40 1/2"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 40 1/2" = _____ number of pieces of corners.

- Ledgestone Panels fit behind the Ledgestone Outside Corner. Two (2) corners per box.

Drystack Outside Corner dimensions are 5 1/2" x 5 1/2" x 40"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 40" = _____ number of pieces of corners.

- Drystack Panels fit behind the Drystack Outside Corner. Two (2) corners per box.

Sandstone Outside Corner dimensions are 5 1/2" x 5 1/2" x 48"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 48" = _____ number of pieces of corners.

- Sandstone Outside Corners can be used with any rock profile, except Slatestone. The Panel will fit behind the corner. Two (2) corners per box.

Ledgestone Inside Corner dimensions are 4 3/4" x 4 3/4" x 40 1/2"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 40 1/2" = _____ number of pieces of corners.

- Panels fit behind Corners. Two (2) corners per box.

Drystack Inside Corner dimensions are 4 3/4" x 4 3/4" x 40"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 40" = _____ number of pieces of corners.

- Panels fit behind Corners. Two (2) corners per box.

Sandstone Inside Corner dimensions are 3 1/2" x 3 1/2" x 48"

Configure Vertical Linear Inches.

Total Linear Inches _____ / 48" = _____ number of pieces of corners.

- Panels fit behind Corners. Two (2) corners per box. Sandstone Inside Corners can be used with any rock profile except Slatestone.

TAKE-OFF SHEET

ACCESSORIES

1. Sandstone Ledger dimensions are 2 1/2" x 4" x 48"

Configure Horizontal Linear Feet.

Total Linear Feet _____ / 4' = number of pieces of Ledger.

- This accessory is used to trim out the top row and can be used with any rock profile. Four (4) Ledgers per box.

2. Sandstone Window/Door Trim dimensions are 2 1/4" x 3 1/2" x 48"

Configure Vertical and Horizontal Linear Feet.

Total Linear Feet _____ / 4' = number of pieces of window/door trim.

- Window/Door Trim will be used on all four window sides as well as the top and sides of door openings and can be used with any rock profile. Four (4) Trim per box.

3. Sandstone Ledger Outside Corner dimensions are 4 1/4" x 6 1/4" x 2 1/2"

Sandstone Ledger Inside Corner dimensions are 9 3/4" x 7 5/8" x 2 1/2"

Ledger Outside and Inside Corners are used to cap corners and show a continuous run of the Ledger trim piece. Number of pieces depend on number of corners. Two (2) per box, 1 Left / 1 Right.

4. Metal Starter Strips are in 4' lengths.

Configure Horizontal Linear Feet of area to be covered.

Total Linear Feet _____ / 4' = _____ number of pieces of starter strip.

- Used to begin the bottom row, Starter Strips are suggested under each panel in order to avoid face screwing.

5. 12oz. Tubes of Grout _____. (Depending on project, grout/caulk, may or may not be required).

6. Touch Up Paint Kit _____.

Drystack, Ledgestone, and Random Rock Touch up Paint Kits contain Four 4oz. bottles of paint, one for each panel color and 1 trim color, plus 4 brushes.

Slatestone Touch Up Paint Kits contain Three 3oz. bottles of paint, plus 3 brushes.